Housing in the Postpartum Year

NEW YORK CITY FACT SHEET

Key Messages

Almost half of postpartum people in NYC report housing quality issues, including:

- Pests
- Broken appliances
- No heat


1 in 3 postpartum people report difficulty paying for housing or utilities, with birthing people of color being significantly more likely to report this than white non-Latina birthing people.

7%
of postpartum
people report
being homeless
or forced to move
since giving birth.

PAHS Indicators

Current housing situation (1 year postpartum)





Ever homeless since giving birth




Representing 1696 postpartum residents in NYC

Ever forced to move since giving birth



Representing 4811 postpartum residents in NYC

Difficulty paying for rent/mortgage or utilities



46% of postpartum people in NYC reported having housing quality issues.



Top 3 Housing Quality Issues Mice, rats, cockroaches, Broken stove, refrige

bedbugs, or other pests

Broken stove, refrigerator, or other appliance



No heat

11%

Notes on Specific Values: *Significant difference relative to white non-Latina reference group †Interpret with caution — small sample size (< 60) or wide confidence interval (< 20%)

Data sources: Discrimination and mistreatment indicators are self-reported by 645 NYC respondents to the 2020 Postpartum Assessment of Health Survey (PAHS) at 12-14 months after giving birth. Data was collected from January 2020 to March 2021. Results are weighted to be representative of all postpartum people who had a live birth in NYC in 2020. Acknowledgments: PAHS is a research collaboration between Columbia University and seven city and state departments of health, including the NYC Department of Health and Mental Hygiene. The 2020 PAHS was undertaken by the Columbia World Project, Leveraging policy to improve maternal health in the fourth trimester, Columbia University in the City of New York. More information about PAHS is available at https://worldprojects.columbia.edu/postpartum-assessment-health-survey-pahs



Discrimination and Mistreatment Among Pregnant and Postpartum People NEW YORK CITY FACT SHEET

Key Messages 1 in 4

Black non-Latina birthing people **report experiencing mistreatment** during childbirth.

Nearly

2 in 3


Black non-Latina birthing people report high levels of medical mistrust.

PAHS Indicators

Mistreatment by Care Providers in Childbirth (MCPC)

🌑 white non-Latina 🌘 Black non-Latina 🥚 Latina 🧶 Asian/PI non-Latina





The MCPC scale is a patient-designed and validated measure of mistreatment during childbirth spanning multiple domains: physical abuse, sexual abuse, verbal abuse, neglect and abandonment, poor rapport between women and providers, loss of confidentiality, and lack of supportive care.

Top 3 Types of Mistreatment by Care Providers during Childbirth

Health care clinicians ignored you, refused your request for help, or failed to respond to requests for help in a reasonable amount of time

10%

Health care clinicians (doctors, midwives, or nurses) shouted at or scolded you

7%




Your physical privacy was violated (for example, being uncovered or having people in the delivery room without your consent)

3%

High Levels of Medical Mistrust white non-Latina Black non-Latina Latina Asian/PI non-Latina

32% of postpartum people in NYC reported high levels of medical mistrust.



Medical mistrust is measured using the Group-Based Medical Mistrust Scale (GBMM), a 12-item instrument that assesses suspicion, experiences of discrimination, and lack of support in the health care setting. A high level of mistrust is defined as being in the top quartile of the GBMM scale among all PAHS respondents (across 6 states and NYC).


Daily Experiences of Discrimination


white non-Latina Black non-Latina Latina Asian/PI non-Latina

18%
of postpartum
people in
NYC reported
experiencing
discrimination in
their daily lives.

Daily experiences of discrimination is defined as reporting being treated with less respect or courtesy than other people 'sometimes' or 'often' in day-to-day life.

Top 5 Reported Reasons for Daily Discrimination











Notes on Specific Values: *Significant difference relative to white non-Latina reference group 1 Interpret with caution — small sample size (< 60) or wide confidence interval (> 20%)

Data sources: Discrimination and mistreatment indicators are self-reported by 645 NYC respondents to the 2020 Postpartum Assessment of Health Survey (PAHS) at 12-14 months after giving birth. Data was collected from January 2020 to March 2021. Results are weighted to be representative of all postpartum people who had a live birth in NYC in 2020. Acknowledgments: PAHS is a research collaboration between Columbia University and seven city and state departments of health, including the NYC Department of Health and Mental Hygiene. The 2020 PAHS was undertaken by the Columbia World Project, Leveraging policy to improve maternal health in the fourth trimester, Columbia University in the City of New York. More information about PAHS is available at https://worldprojects.columbia.edu/postpartum-assessment-health-survey-pahs

